

PRODUCT DESIGN

- Design
- Visualization
- Prototyping
- Materials
- Testing
- Consultation
- Complete product
- Branding solutions for airlines (livery, interior, unique look, etc.)

DESIGN & CERTIFICATION (DOA)

- Cabin interiors changes
- Cargo conversions
- VIP Completions
- Electrical cabin systems integration
- Flight desk interiors changes
- Layout of Passenger accommodations
- Emergency Equipment Layout
- External Schemes, Placards and Markings
- Variety of minor modifications/changes
- Certification support to OEM / ETSO holders
- Passenger seats certification for installation (including crash tests)
- IFE installation / Electronics box installation
- FAA DER contracted services
- 'We Care' product line designed for persons with limited mobility
- Integration of special mission systems
- Project Manager (DOA POA P145 Installation support Life cycle support)





CAMO ENGINEERING

- Continuous airworthiness management, including airworthiness review inspections according to EASA regulations preparation and submission of airworthiness review recommendations for export or import of aircrafts; Boeing 737 CL/NG, Airbus A320 Family, A330
- Management of technical records, creation of work packages and maintenance forecasts;
- Defect monitoring
- Transition services for aircraft being transitioned between operators or under a storage program.
- Provide CAMO support for airlines who are adding new aircraft types to their fleet and may not have the internal CAMO.
- Completion of EU Ops Compliance Reports to highlight the differences between current aircraft configuration and a EASA compliant configuration.
- Aircraft asset management service technical support/contact.

LABORATORY SERVICES

Flammability vertical test 60 sec, in accordance with CS-25.853 Appendix F, Part I (a)(1)(i)

Flammability vertical test 12 sec, in accordance with CS-25.853 Appendix F, Part I (a)(1)(ii)

Flammability horizontal test 15 sec, in accordance with CS-25.853 Appendix F, Part I (a) (1) (iii)

Flammability horizontal test 15 sec, in accordance with CS-25.853 Appendix F, Part I (a)(1)(iv)

Cycle tests

Strength, durability and safety tests

Dynamic compression test*

Static tests in accordance with CS-25 Subpart C